



04-18-05

RFW

Walker
&
Jocke

a legal professional association

Ralph E. Jocke
Patent
&
Trademark Law

April 12, 2005

Mail Stop Amendment
Commissioner for Patents
Post Office Box 1450
Alexandria, Virginia 22313-1450

Attn: Art Unit 2876
Patent Examiner April Alicia Taylor

Re: **Application Serial No.:** 10/797,721
Confirmation No.: 4120
Filing Date: March 10, 2004
Applicants: Kenneth Turocy, et al.
Title: Cash Dispensing Automated Banking Machine
With Calibrated Optical Scanner
Docket No.: D-1221 R12

Sir:

Please find enclosed Applicants' Response to the Office Action dated January 18, 2005 for filing in the above case.

Two additional independent claims are presented herein. Please charge the fees associated with these claims (\$400) and any other fee due to Deposit Account 09-0428 (InterBold). Any deficiency or overpayment should be charged or credited to the above numbered deposit account.

Very truly yours,

Ralph E. Jocke

Reg. No. 31,029

CERTIFICATE OF MAILING BY EXPRESS MAIL

I hereby certify that this document and the documents indicated as enclosed herewith are being deposited with the U.S. Postal Service as Express Mail Post Office to addressee in an envelope addressed to Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 this 15th day of April 2005.

EV593724144US

Express Mail Label No.

330 • 721 • 0000
MEDINA


330 • 225 • 1669
CLEVELAND

Ralph E. Jocke

330 • 722 • 6446
FACSIMILE

rej@walkerandjocke.com
E-MAIL

231 South Broadway, Medina, Ohio U.S.A. 44256-2601



D-1221 R12

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:)	
Kenneth Turocy, et al.)	
)	Art Unit 2876
Serial No.: 10/797,721)	
)	
Confirm. No.: 4120)	
)	
Filed: March 10, 2004)	Patent Examiner
)	April Alicia Taylor
For: Cash Dispensing Automated)	
Banking Machine With)	
Calibrated Optical Scanner)	

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In Response to the Office Action dated January 18, 2005 kindly amend the above Application, without prejudice, as follows: